

# Installation Instructions, Mechanical

Applicable for T39m & T39mc

**Contents**

<b>1</b>	<b>Abstract.....</b>	<b>2</b>
<b>2</b>	<b>General.....</b>	<b>2</b>
<b>3</b>	<b>Hardware .....</b>	<b>2</b>
	3.1 Test Setup .....	2
	3.2 Computer .....	2
	3.3 Hardlock .....	2
	3.4 Smart Card Reader.....	3
<b>4</b>	<b>Software .....</b>	<b>3</b>
	4.1 EMMA II.....	3
<b>5</b>	<b>Revision History .....</b>	<b>3</b>

# 1 Abstract

This document describes the installation procedure for the Mechanical repair package.

# 2 General


The Mechanical repair package consists of a Computer and Interface Cables. A Hardlock and a Smart Card are required for security reasons.

# 3 Hardware

All test hardware must be approved by Ericsson and is documented in the Equipment List.

## 3.1 Test Setup

### Mechanical installation



The equipment in this picture is specified in the Equipment List.

## 3.2 Computer

IBM compatible computer with Windows 98, Windows Me or Windows 2000 installed.

## 3.3 Hardlock

Hardlock with article number KRY 105 165 is required. The Hardlock should be connected to the parallel port.

## 3.4 Smart Card Reader

Smart Card



Smart Card Reader



The Smart Card Reader is delivered with the necessary software and instructions for installation.

# 4 Software

## 4.1 EMMA II

EMMA II contains all software required to service the product and is accessible through the CSPN. Installation and user manuals are available in the EMMA II start page.

# 5 Revision History

Rev.	Date	Changes / Comments
A	2001-06-05	Created